## Technical Specification

Office: Sigas Rural Municipality, Baitadi.

Equipment: Backhoe Loader.

Quantity: One unit.



Q	uantity: One unit.	AND HARLE	and diam
[6]	N. Criteria	Requirements of Buyer	Offered Specification
1.		All wheel drive, rigid frame backhoe loader model with steel cab, suitable for road maintenance works in hilly region and equipped with attachments (standard loader bucket and standard backhoe bucket). Equipment should be adequately powerful, durable, safe and efficient.	Make: Model: Country of Origin:
2.	Engine	Water cooled diesel engine with displacement no less than 4.4 litres generating gross power no less than 92 hp. Equipment should be equipped with heavy duty radiator, cold starting device, direct electric starting system, heavy duty battery, heavy duty air cleaner, heavy duty fuel filter, with water trap and drainage in fuel line and drain tap in fuel tank.	Make: Model: Country of Origin: Engine volume: Power:
3.	Emission Standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable standard as prescribed by "Nepal Vehicle Mass Emission Standard 2069" which is to be certified by Department of Transport Management, Nepal.	Compliance with the standard: Yes/No. Specify.
ł.	Capacity, Dimension & Weight	<ul> <li>✓ Loader: One cubic meter general purpose bucket (6 in 1) with bolt on teeth having shovel breakout force not less than 6600 kgf.</li> <li>✓ 0.3 cubic meter backhoe bucket with bolt on teeth having tearout force 5650</li> </ul>	

Scanned with CamScanner

5	. Transmissio	kgf.  Ground clearance should be at least 0.36m.  Operating weight no less than 8000 kg.  Length not more than 6.1 m.  Width not more than 2.23 m.  Height not more than 3.9 m.  Wheel base not less than 2.24 m.  Torque converter with four speed power shift type of synchroshuttle transmission.	Yes/No? Specify.
6.	. Axles	Four wheel drive with fixed rear axle and at least 15 degree ascillating front axles.	
7.	Steering	Power assisted hydrostatic steering.	Yes/No? Specify.
8.	Gauges	Ammeter, water temperature, fuel, oil pressure, transmission and hydraulic gauges and other standard gauges offered by manufacturer necessary for efficient operation and maintenance.	
9.	Wheels &Tyres	Market standard four tires with tubes for operating machine in rough road conditions shall be provided.	Yes/No? Specify. ————————————————————————————————————
10.	Fuel Tank	128 litres or above.	Capacity:
11.	Turning Radius	No more than 11.5 m.	Turning Radius:
12.	Brakes	Hydraulically actuated, wet multiple disc/caliper disc type service brake and separate parking brake.	Yes/No? Specify.
13.		All steel enclosed cab with laminated glass windscreen, insulated roof, suitably located controls for backhoe and loader operation, rear view mirror, cabin light, wiper and adjustable cushioned seat for operator shall be provided.	Yes/No? Specify.
4.	Hydraulics	Hydraulic pump flow not less than 117 LPM and system pressure not	

		less than 3300 psi/228 bar for	
	1	smooth operation of all	
1.5	-	attachments.	Mention manufacturer's
15.	Chassis &	As offered by manufacturer.	Mention manufactures
	Frame	Preferably tough and adequate	specification.
		enough for hilly region and rough	
		duty functionality	t Mention safety features
16.	Safety	All standard safety feature tha	Mention safety 1988
		manufacturer offers.	Yes/No? Specify.
17.	Comfort &	Comfort and convenience features	Yes/No? Speen?
	Convenience	are expected that manufacturer	
1		offers.	Mention available color.
18.	Color	Standard color offered by	•
10.	Color	manufacturer	Specify available accessories.
20	Essential	The vehicle should be equipped	Specify available deserving.
29.		ith.	
	Accessories	Pood lights, work lights, log	
1 1		lights, cahin lights, service	
1 1		hour meter and turn signals.	Ï
	1	✓ Equipped with all	
		accessories offered by	
- 1		manufacturer but not	. •
- 1		limited to above items.	
		All signs and instructions in the	Yes/No? Specify.
20.   1	Instructions	equipment shall be in English.	
		equipment shall be in English	Yes/No? Specify.
21.   N	Manuals	One copy of the operator's and owner's instructions and	
	1	and owner's instructions and	
- 1		maintenance manual in	
- 1	1	English shall be supplied	*, -
- 1		with each equipment.	*
		<ul> <li>Two copies of following</li> </ul>	*
- 1	1	manuals in English shall be	
- 1		supplied with each	
- 1	. 1	equipment:	
1	`	a. Spare parts catalogue.	
-	1		
- 1		b. Comprehensive	
1		workshop manual.	
1			
Tool	s A se	et of tools as required for	Are there tools offered by
		eral maintenance shall be	manufacturer. Yes/No? Specify.
1			manufacturor. 1 co/1 to. Specify.
		olied with in a lockable tool box	<u> </u>
<del> </del>		each unit.	· · · · · · · · · · · · · · · · · · ·
Prove		vehicle offered shall be a	Mention vehicle performance and
Perfor	rmance   curre		background.
1		nanufacturer and must have	
1			
	DCCII	supplied in the local market	

24.	Warranty	before. Vehicle with one of space page availability in market will be on added advantage.	
25	heitest	Monufacturer shall provide a minimum of one year warranty after accuplance.	Mention warranty optims.
	Service	The supplier shall provide extended of meintanance/survice as per its actions.	Mention offer.
26.	Delivery	The supplier should deliver furthbur fouder at News Rosel	Mention Yes/Not?
Notes	-	Municipality, Unitadi.	

- a. The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specification. Non-compliance of these major items will result in nonresponsiveness of the bid.
- b. The hidder should mention the required technical data of the vehicle in the offered specification column of the technical specification sheet.

Hidder's Signature	Date
Mechanical Engineer Mechanical Engineer Mechanical Engineer Mechanical Engineer Mechanical Engineer Mechanical	Approved By: Office Chief Signs Rural Municipality, Balindi
Transport Management Office, Knnchanpur  **Capate on 5511 Signature Enginery  HEE No. 2018 7A	

Scanned with CamScanner

	Ľ
Mobile view	Edi



